

User Manual_{v1.0}

Electronic Training Target

CONTENT

Product Overview	Ρ1
Product Specification	P2
Light Mode Option	Ρ3
Product Notification	Р3
Declaration of Toxic and Hazardous Substances	P4
Warranty card	Ρ5
After Sale Service	Р5
More	P6

Product Overview

Dear customers,

Thanks for purchasing our metal training target. In order to help you know how to use it better, please kindly ready this manual before using and remember to keep it well.

This package mainly includes : 1 training target and 1 type C charging cable. Once the surface of metal training target was received vibration, the signal was generated to order the target fall down to finish a whole shooting action.

They are mainly used for dry fire training and other shooting scenarios, which could improve your shooting accuracy, reaction speed and at the same time make your shooting more safer, convenient and interesting.

Electronic training target Illustration:



1



Battery Compartment

3.7 V Button Top 18650 Lithium Battery

2

Product Specification

Product Model	V504
Size	146 x 91 x 172 mm (L/W/H)
Weight	285 g (Without Battery)
Case Material	PA6 + Aluminium
Temperature Rage	- 10°C ~ 60°C
Battery Type	3.7 V Button Top 18650 Lithium Battery
Rated Input	5V 1A
Standby Current	<40 mA
Working Current	<400mA
User Age	14+

Please take out the battery and remove the insulating shim when you use it for the first time.

Light Mode Option

" I "is night mode, which with RGB light effects. When target panel is falling down by shooting,

the light is off and the panel will automatically back to stand within 1s

" II "is day mode ,RGB light off, without lighting effect.



3

Product Notification

Sleep Mode And Restart

Target will go to sleep mode if it doesn't use more than 15 mins, switch mode button again to restart.

Battery Charging

The type C charging jack supports DC 5v power supply, please charge with standard charging plug. The RGB indicator of target is red when it is charging. Once battery is fully charged(it will take 3hours to fully charge if battery is 1500mAh), RGB indicator is off.

Low Battery Warning

When the battery voltage is too low, RGB indicator is red light blink please charge the battery as soon as possible.

Common Malfunction

If the target doesn't work for some reasons, please check it as the following steps.

Malfunction 1: The target with no response after turning on. Solution:

1. Check the positive and negative terminals of the battery are correct or not. 2. Replace the battery and restart the target.

Malfunction 2: RGB indicator is red light blink.

Solution:

1.When target rod is up right, push it to a position of 45° and restart the target. 2.Replace to the fully charged battery.

Battery Usage Precautions

- Do not use batteries which we don't recommend.
- Do not short-circuit the battery.
- Do not throw battery into fire, it may cause explode.
- Please dispose or recycle battery properly.

Declaration of Toxic and Hazardous Substances

	Toxic and Hazardous Substances or Elements						
Parts	Plumbum (Pb)	Mercury (Hg)	Cadmium (Cd)	Chromium VI (Cr6+)	Poly- brominated biphenyls (PBB)	Poly- brominated diphenyl ethers (PBDE)	
Plastic	\circ	\bigcirc	0	0	\circ	\bigcirc	
Metal	×	\bigcirc	0	0	0	\bigcirc	
РСВ	×	\bigcirc	0	0	0	\bigcirc	
Other	×	0	0	0	0	0	

Indicates that the content of the toxic and harmful substances in all homogeneous materials of the part is less than the requirement in SJ/T-11363-2006 (Limit requirements for toxic and harmful substances in electronic products).

X Indicates that the content of the toxic or hazardous substance is at least in one homogeneous material of the part exceeds the limit requirement by SJ/T11363-2006.

This product complies with RoHS environmental protection requirements: At present, there is no mature technology in the world that can replace or reduce the lead content in electronic ceramics and copper alloys.



Warranty Card

ame :
none Number:
nail :
ldress :
m Model : SENTRY 2
spector :
ate of Production:

After Sale Policy

Please keep this warranty card, purchase receipt and product packaging properly. Please present them when after sales service is requested.

1. SENTRY 2 has 6 months warranty service since the date of purchase.

2. If there is any quality issued found under the normal operation (not man-made damaged) while the product has not been disassembled by unauthorised technicians, the product is free for replacement in the first 30 days from the date of purchase.

3. During the warranty period, if there is a quality defected be found in the normal operation, free repair service is provided after the production is inspected and verified by the authorised technicians. Warranty service does not include the transportation cost and door to door service.

4. Warranty is void under the below circumstances, free repair service is no longer provided if, 4.1 User does not follow the instruction menu, mis-installation, storage and use which lead to the product failure or damage.

4.2 Any damage caused by force majeure reasons.

4.3 Product failure or damage caused by the disassemble or modification by the unauthorised technicians.

4.4 Warranty card or purchase receipt is not provided.

4.5 Warranty period is expired.

5. Warranty service would be refused to provide if there original warranty card is not presented, the repair record is not consistent with the fact, any alteration or unrecognised description on the warranty card.

More







E-SHOOTER TECHNOLOGY (SHENZHEN) CO., LTD.

- 🔘 Galaxy World Tower A,No.1 Yabao Road, Longgang District, Shenzhen, China
- Q 0086 0755 84503091
- Support@eshooter-world.com
- www.eshooter-world.com









